

Birds of Renfrew County (•= week of occurrence; ®=rare; <••> represents 1 bird present over time)

Species List	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
Red-throated Loon				•						•••	••••	•	This species is occasionally seen on migration. The east side of Lake Dore and the Ottawa River should be checked in October.
Common Loon	•			••••	••••	••••	••••	••••	••••	••••	••••	•••	Common on the larger lakes and rivers.
Pied-billed Grebe			••	••••	••••	••••	••••	••••	••••	••••	•••		Common on beaver ponds, reedy bays on lakes and rivers.
Horned Grebe			•	••••	••••			••	••••	••••	••••	•••	Common on Lake Dore in Fall. Uncommon on the Ottawa River in Spring and Fall.
Red-necked Grebe			•	•••	••••	•<••	••••	••••>	••••	••••	••••	••••	Common on Lake Dore in Fall. Uncommon on the Ottawa River in Spring and Fall.
Northern Fulmar					•								Not to be expected inland from the Atlantic Ocean.
American White Pelican ®					••						•		Rare vagrant in May, a couple of sightings along the Bonnechere River, on Wilber and Golden Lakes.
Double-crested Cormorant				•	••••	••••	••••	••••	••••	••••	•		Becoming abundant.
American Bittern				•••	••••	••••	••••	••••	••••	•••		•	Fairly common in grassy and cattail wetlands throughout the county
Least Bittern					•••	••••							Several marshes have been good for finding this species. Ross Road east of Micksburg Rd in Micksburg; Flat Rd 1 km south of Dacre; Silver Creek marsh west of Silver Lake.
Great Blue Heron	•		••••	••••	••••	••••	••••	••••	••••	••••	••••	•••	Common colonial nester in remote wooded swamps. Often seen flying.
Great Egret				•	••••	••••	••••	••••	•				Occasional in April & May, especially along the Snake River Line in the wetland, 7 km north of the Cobden Rd
Snowy Egret ®					••								Not to be expected.
Cattle Egret ®					•					••	•		Not to be expected.
Green Heron				•	••••	••••	••••	••••	••••	•••			Common around the larger swamps and marshes. Regular flying along the northeast shore of Lake Dore.
Black-crowned Night-Heron ®					•	••••	••••	••••	•				Regular from June to September in wetland on Snake River Line dating from about 2004.
Ibis species										••			Not to be expected.
Turkey Vulture			••	••••	••••	••••	••••	••••	••••	••			Commonly seen in flight.
Greater White-fronted Goose				••									Rare in Snake River Line area in April.
Snow Goose			•	••••					•••	••••	•••		Occasional in Fall on Lake Dore and Ottawa River.
Cackling Goose ®				•					•	•			Has been seen in Pembroke along the Ottawa River; in Cobden at south end of Muskrat Lake.
Canada Goose	•	•	•••	••••	••••	••••	••••	••••	••••	••••	••••	•••	Usually can be found from spring to fall as they nest in many wetland locations.
Brant				•	••	••••	•			••••	•••		This species passes north through the Ottawa Valley in mid May and sometimes can be found in small numbers in fall.
Trumpeter Swan				•	••				•				Starting to show up as Ontario population increases. 7 seen in Bellow's Bay in 2010.
Tundra Swan					•					•	•••	•	Occasional on Lake Dore and Bonnechere River.

Birds of Renfrew County (●= week of occurrence; ®=rare; <●●> represents 1 bird present over time)

Species List	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
Wood Duck			●●	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●	●●	●	Common on beaver ponds and undisturbed marshs.
Gadwall			●	●●	● ●		●	●	●●	●	●●	●	Uncommon migrant. Look in duck staging locations such as Bellow's Bay in April and early September.
Eurasian Wigeon ®				●	●								Spring sightings in pasture puddles, Bellow's Bay and Lake Dore.
American Wigeon			●	●●●●	●●●●		●	●	●●●	●●●●	●●	●	Uncommon migrant. Look in duck staging locations such as Bellow's Bay in April and early September.
American Black Duck	●		●	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●	●●●	Nest in small numbers. Try the Pembroke Marina where they nested in 2010.
Mallard			●●	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●	Common nesting species and a favourite of cottagers.
Blue-winged Teal			●	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●	●		●	Nests in marshs. Check Ross Road marsh east of Micksburg.
Cinnamon Teal				●									Only record from Snake River Line wetland
Garganey ®				●●									Only record from flooded field south of Mountain Rd and west of Stafford Third Line.
Northern Shoveler				●●●	●●●●	●●●●	●●●●	● ●		●			Uncommon nesting species on marshy ponds.
Northern Pintail			●	●●●●	●●●●			●●	●●●●	●●●●		●	Uncommon migrant. Flooded fields in April are good locations.
Green-winged Teal			●	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●	● ●	●	●●	Uncommon nesting species. Check staging locations such as Snake River Line and Bellows Bay in April.
Canvasback	●		●●	● ●						●	●● ●	● ●●	Rare vagrant in spring and fall.
Redhead				● ●	●●●				●		●	●	Rare vagrant in spring and fall.
Ring-necked Duck	● ●		●●●	●●●●	●●●			●	●●	●●●●	●●●●	●●●●	Best seen at spring ice break-up in sheltered bays in rivers and lakes.
Greater Scaup		●	●●	●●●●	●●●●				● ●●	●●●●	●●●●	●●●	A migrant that can be seen in spring and fall at staging locations such as Lake Dore, Bellows Bay (spring) and along the Ottawa River.
Lesser Scaup				●●●●	●●●		●		● ●	●●●●	●●●●	●●●	A migrant that can be seen in spring and fall at staging locations such as Lake Dore, Bellows Bay (spring) and along the Ottawa River.
King Eider ®											●●	●	Only records from east side of Lake Dore along Hwy 41 in November.
Harlequin Duck	●●●●	●●●●	●●●●	●●●●	●●<	●●●●	●●●●	●●●●	●●>	●●●●	●●●●	●●●●	Best found in rapids on east side of Morrison Island north and south of Hwy 148 bridge.
Black Scoter					●●●					●●●	●●●●	● ●	Uncommon migrant. Check Lake Dore in May and late October.
Surf Scoter					●●●●				●	●●●●	●●	● ●	Uncommon migrant. Check Lake Dore in May and late October.
White-winged Scoter					●●●				●	●●●●	●●●●	● ●	Fairly common migrant. Check Lake Dore in May and late October.
Long-tailed Duck	●	●		●	●●●●	●				●●●●	●●●●	●●●●	Uncommon migrant. Check Lake Dore in May and late October.
Bufflehead	●●●●	●●●●	●●●●	●●●●	●● ●					●●●●	●●●●	●●●●	Common migrant.

Birds of Renfrew County (•= week of occurrence; ®=rare; <••> represents 1 bird present over time)

Species List	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
Common Goldeneye	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Common. Nests in small numbers on large rivers. Best found at duck staging and feeding areas. In winter, try the open on east side of Morrison Island.
Barrow's Goldeneye	••••	••••	••••	••••	•••					•	••••	••••	Best found in rapids on east side of Morrison Island.
Hooded Merganser	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Common on beaver ponds and undisturbed marshes.
Common Merganser	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Common nesting species and in spring and fall as migrants.
Red-breasted Merganser		•		•••	••••	•	• •		•	••••	••••	•••	Uncommon migrant. Try Lake Dore in late fall and the Ottawa River in late April and May.
Ruddy Duck				•						•••	•• •		Rarely found.
Osprey				•••	••••	••••	••••	••••	••••	•• •			Nesting species in wooded swamps near bodies of water. A pair nests in the southwest marsh at Lake Dore.
Bald Eagle	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Seen with increasing frequency throughout the year. Needs open water in winter.
Northern Harrier			•••	••••	••••	••••	••••	••••	••••	••••	••••	• •	Nests in large undisturbed wetlands. Often seen as a migrant in spring and fall flying low over fields, hunting for small mammals.
Sharp-shinned Hawk	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Nests in remote locations. Best seen in migration in April and September.
Cooper's Hawk	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Nests in remote locations. Best seen in migration in April and September.
Northern Goshawk	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	A pair has been nesting in Westmeath PP for years. Nests throughout the county but a difficult species to find.
Red-shouldered Hawk			•	••••	••••	••••	••••	••••	••••	•			Nests in the Shaw Woods in the west section. Also nests south of the hockey arena in Ma-te-way Park in Renfrew. Almost never seen in migration.
Broad-winged Hawk				• • •	••••	••••	••••	••••	•••				Common nesting species, but fairly secretive on territory.
Red-tailed Hawk	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Common nesting species, but fairly secretive on territory.
Rough-legged Hawk	••••	••••	••••	••••	•					••••	••••	••••	Uncommon migrant over farmland. Sometimes overwinters in the Douglas and Renfrew areas where it sits in lone trees in a field.
Golden Eagle	•		••	•	•				•	•		••	Rarely found.
American Kestrel	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Common nesting species, but easier to find hunting along roads in late summer.
Merlin		•	•	•••	••••	••••	••••	••••	••••	•• •		•	Uncommon nesting species in tall White Pines, especially along water courses.
Gyr Falcon ®	•								•		•		Unpredictable in winter, few records.
Peregrine Falcon				•	••••	••••	••••	••••	••••	• •		•	Nests on cliffs on north side of Ottawa River near Chalk River otherwise rare migrant.

Birds of Renfrew County (•= week of occurrence; ®=rare; <••> represents 1 bird present over time)

Species List	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
Gray Partridge	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Tough to find in summer. Best found in winter in small coveys east of Douglas and west of Cobden. Has been seen along the Queen's Line and other locations.
Ruffed Grouse	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Common in mixed poplar forests.
Spruce Grouse ®											•		Rarely seen west of Deep River.
Wild Turkey	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Usually seen in farmland such as in cut corn fields. Introduced game bird.
Yellow Rail ®									• • •				Rarely seen in grass cover along the Ottawa River.
Virginia Rail				•••	••••	••••	••••	••••	•••	• •			Common in marshs throughout the county. Best found by song.
Sora				•••	••••	••••	••••	•••	•				Common in marshs throughout the county. Best found by song.
Common Moorhen				•	••••	••••	••••	••••	• •				Uncommon nesting species in cattail marshs such as the one on Ross Road near Micksburg.
American Coot				•	•	••••	••••	•	• •		••••	•	Rare migrant and sometimes nesting species.
Sandhill Crane	•			••••	••••	••••	••••	••••	••••	•••	•		Regularly heard in Westmeath Provincial Park, Snake River Line and sightings increasing throughout Renfrew County.
Black-bellied Plover					•	••		••••	••••	••••	•		Best shorebird habitat is along the Ottawa River when water is low in the Fall, especailly in Westmeath area.
Lesser Golden Plover				•	•			•	••••	•• •			Best shorebird habitat is along the Ottawa River when water is low in the Fall, especailly in Westmeath area.
Semipalmated Plover					•••	• •	•••	••••	••••	••••			Best shorebird habitat is along the Ottawa River when water is low in the Fall, especailly in Westmeath area.
Killdeer			•••	••••	••••	••••	••••	••••	••••	••••	• •		Common in open country such as small ponds in farmland. Also on mudflats along rivers and lakeshores.
Greater Yellowlegs				•••	••••	• •	••	••••	••••	••••	•••		Flooded field in Spring; muddy ponds in Fall and along the Ottawa River.
Lesser Yellowlegs				•	••••		••••	••••	••••	••••			Flooded field in Spring; muddy ponds in Fall and along the Ottawa River.
Solitary Sandpiper					••••	•	••	••••	••••	•			Rare migrant. Found on mudlats in swamps and ponds.
Willet ®					•								Not to be expected, only one record from Chalk River.
Spotted Sandpiper				•	••••	••••	••••	••••	••••	•			Common on shorelines of lakes and rivers.
Upland Sandpiper				•	••••	••••	••••	••					
Whimbrel					•		•	•	•• •				Rare. Has been seen on Lake Dore and the Pembroke Marina
Hudsonian Godwit					•				•	•	•		Sometimes seen in late Fall along shallow muddy shores; rare in Spring.
Ruddy Turnstone					••	••		•••	••••	•			

Birds of Renfrew County (•= week of occurrence; ®=rare; <••> represents 1 bird present over time)

Species List	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
Red Knot					•			•	•				Records from Ottawa River in May and Aug/Sept.
Sanderling					•			•	••••	• •	•		
Semipalmated Sandpiper					••	••	•••	• ••	••••	••••	•		
Western Sandpiper ®								••	•••				Records from the Ottawa River from mid Aug to mid Sept.
Least Sandpiper					••••	•	••••	••••	••••	• •			
White-rumped Sandpiper					••	••		•		••••	••		
Baird's Sandpiper								••••	•• •	•			
Pectoral Sandpiper				•	••••		•	• •	••••	••••	• •		
Purple Sandpiper ®					•						• •		Only Spring or Fall records from Deep River.
Dunlin					•••	•			• • •	••••	••		
Stilt Sandpiper ®								•	•				Records from the Ottawa River from mid Aug to mid Sept.
Buff-breasted Sandpiper ®									•				2 records from Pembroke Marina over 20 years ago.
Ruff ®					••								1 record from Muskrat River at Whitewater Rd.
Short-billed Dowitcher					•			•••	•• •	• •			Best found along Ottawa River with low water.
Common Snipe	••	•• •	•	••••	••••	••••	••••	••••	••••	••••	•••	••	
American Woodcock			•	••••	••••	••••	••••	••••	••••	••••	•		
Wilson's Phalarope					•		•	•					
Red-necked Phalarope					•		•	•					
Red Phalarope						•			• •	• •			
Long-tailed Jaeger													1 record from Arnprior
Pomarine Jaeger ®						•				•	•		Records from Lake Dore
Parasitic Jaeger ®									•<•	•••>	•		Records from Lake Dore
Laughing Gull ®							•						1 record from Ottawa River west of Deep River.
Franklin's Gull									•				2 records, one from Lake Dore, one from Muskrat Lake.
Little Gull					•		<•	•>	• • •	••••			Occasional on Lake Dore, Muskrat Lake and Ottawa River.
Black-headed Gull ®							•						1 record from Lake Dore.
Bonaparte's Gull	•			• •	••••	••••	••••	••••	••••	••••	••••	•	
Ring-billed Gull		•	••••	••••	••••	••••	••••	••••	••••	••••	••••	•••	
Herring Gull	••	• •	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Thayer's Gull										••	••••		
Iceland Gull	•					•••				•	••••	•••	
Lesser Black-backed Gull						•		•	•	•	•	•	
Slaty-backed Gull											•••		1 record from Alice & Fraser Landfill Facility.
Glaucous Gull	•••		•	•							••••	••••	
Great Black-backed Gull	••		•	••	• •	•		••	• •	• •	••••	• • •	
Sabine's Gull					•				•	•••		•	Occasional on Lake Dore and Ottawa River.
Black-legged Kittiwake									•		••		Rare on Lake Dore.
Ivory Gull ®	•		•		•		••	•	••		<••>		Rare on Lake Dore and Pembroke Marina.
Caspian Tern				•	••••	••••	••••	••••	••••	••			Occasional on Lake Dore and Ottawa River.
Common Tern					••	•			•				
Arctic Tern					••	•			•				Occasional in late May and early June, usually stalled by north wind.

Birds of Renfrew County (•= week of occurrence; ®=rare; <••> represents 1 bird present over time)

Species List	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
Forster's Tern ®						•							1 record from Lake Dore.
Black Tern					•••	••••	••••	••••					
Thick-billed Murre											•		Old record from Arnprior.
Razorbill ®												•	1 record from Lake Dore.
Atlantic Puffin ®												•	1 record from Westmeath.
Rock Pigeon	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Eurasian Collared-Dove ®					•								1 record from Calumette Island, QU.
Mourning Dove	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Black-billed Cuckoo					•••	••••	••••	••••		•			
Yellow-billed Cuckoo ®						••	••		•	••			Records from along Ottawa River.
Eastern Screech-Owl	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Great Horned Owl	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Snowy Owl	••••	••••	••••	••••	•					•	••••	••••	
Northern Hawk Owl	••••	••••	••									••	
Barred Owl	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Great Gray Owl	••••	••••	••••	••								••••	
Long-eared Owl			•	•	•								
Short-eared Owl				•	•					•			•
Boreal Owl	•	•••											•
Northern Saw-whet Owl		••	••••	••••	••••	••••	••••	••••	••••	•		•	
Common Nighthawk					•••	••••	••••	••••	••				
Chuck-will's-widow ®					•								Record from Deep River.
Whip-poor-will					••••	••••	••••	••••	•••				
Chimney Swift				•	••••	••••	••••	•••	•				
Ruby-throated Hummingbird				•	•••	••••	••••	••••	••••	•			
Belted Kingfisher			•	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Red-headed Woodpecker					•	••••	••••	•	•	••	•		
Red-bellied Woodpecker	••••	••••	••••	••••	••						•	•••	Rarely overwinters at feeders.
Yellow-bellied Sapsucker				••••	••••	••••	••••	••••	••••	•			
Downy Woodpecker	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Hairy Woodpecker	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Three-toed Woodpecker	••••	••••	••••	••	•						•	•••	Rarely found in winter in bogs and swamps.
Black-backed Woodpecker	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Nests sparsely in Renfrew County, try Bonnechere Provincial Park.
Northern Flicker	•		•	••••	••••	••••	••••	••••	••••	••••			
Pileated Woodpecker	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Olive-sided Flycatcher					•••	••••	••••	••••	•••				Found at the top of dead trees in swamps.
Eastern Wood-Pewee					•••	••••	••••	••••	••••				
Yellow-bellied Flycatcher					••	••••	••••	••	••	•			Rare migrant. Found in Cedar swamps along Madawaska River, and in Barron Canyon below Brougham Lake canoe put-in.
Alder Flycatcher					•••	••••	••••	••••	•				
Willow Flycatcher					•	••••							
Least Flycatcher					••••	••••	••••	••••	•				
Eastern Phoebe			•	••••	••••	••••	••••	••••	••••	•••			
Great-crested Flycatcher				•	••••	••••	••••	••••	•••				

Birds of Renfrew County (•= week of occurrence; ®=rare; <••> represents 1 bird present over time)

Species List	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
Western Kingbird ®								•	•	•	•		Rare vagrant in September in shrubby fields.
Eastern Kingbird					••••	••••	••••	••••	••	•			
Scissor-tailed Flycatcher ®						•				•	•		Records from Deep River area.
Northern Shrike	••••	••••	••••	••••						••••	••••	••••	
Loggerhead Shrike ®			•	••••	••••	••••	••••			•			Rare in Douglas area. Not found every year. Endangered species.
Yellow-throated Vireo					•		•	•	•				Occasional in mature hardwood forests in the southern part of county.
Blue-headed Vireo					••••	••••	••••	••••	••••	•••			
Warbling Vireo					••••	••••	••••	••••	•••				
Philadelphia Vireo					•••	••••	••••	••••	••••	•			
Red-eyed Vireo					••••	••••	••••	••••	••••				
Gray Jay	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Best found in winter toward Algonquin Park and northwest of county.
Blue Jay	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
American Crow	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Common Raven	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Horned Lark	•	•••	••••	••••	••••	••••	••••	••••	•				
Purple Martin				• ••	••••	••••	••••	••••	•				
Tree Swallow			•	••••	••••	••••	••••	••••	•• •				
Northern Rough-winged Swallow				•	••••	••••	••••	••					
Bank Swallow					••••	••••	••••	•••	•				
Cliff Swallow					••••	••••	••••	••••					
Barn Swallow				••	••••	••••	••••	••••	• •				
Black-capped Chickadee	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Boreal Chickadee	••••	••••	••••	••••	•				••••	••••	••••	••••	Occasional winter visitor to bird feeders and spruce forests.
Red-breasted Nuthatch	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
White-breasted Nuthatch	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Brown Creeper	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Carolina Wren ®	••••	••••	••••	••••	••					•		•••	Nested along Muskrat River in Pansy Patch Park, Pembroke for a few years. Not expected now. 1 sighting in Deep River in the 1970's.
Bewick's Wren ®						•							
House Wren					•••	••••	••••		••	•			
Winter Wren			•	•••	••••	••••	••••	••••	••••	••••			
Sedge Wren					•••	••••	••••		•				Found in some years in wet sedge meadows. Best found by song.
Marsh Wren					••••	••••	•••		•				
Golden-crowned Kinglet	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Ruby-crowned Kinglet	•			••••	••••	••••	••••	••••	••••	••••	•		
Blue-gray Gnatcatcher ®				•									Not to be expected.
Northern Wheatear ®					•					••			Not to be expected.
Eastern Bluebird			•••	••••	••••	••••	••••	••••	••••	••••			
Mountain Bluebird ®							•						Not to be expected.
Townsend's Solitaire				•									Not to be expected.
Veery					••••	••••	••••	••••	••••	•			

Birds of Renfrew County (•= week of occurrence; ®=rare; <••> represents 1 bird present over time)

Species List	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
Gray-cheeked Thrush					••	•		••	••••				
Swainson's Thrush					•	••••	••••	••••	••••	••			
Hermit Thrush				••	••••	••••	••••	••••	••••	••••		•	
Wood Thrush					••••	••••	••••	••••	••••				
American Robin	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Varied Thrush ®	••••	••••	••••	•							•	•	Occasionally found at feeders in pine habitat, especially in Ottawa River area.
Gray Catbird					•••	••••	••••	••••	••••				
Northern Mockingbird	•	•		•	••••	••••	••••	••••	•	•	•	•	Best found by song. Unpredictable locations in northern half on county.
Brown Thrasher	••••	•••>		•	••••	••••	••••	••••	•••			<••••	
European Starling	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
American Pipit					•••			•	••••	••••			
Bohemian Waxwing	••••	••••	••••	••••						••••	••••	••••	Winter visitor to ornamental berry producing shrubs and fruiting trees.
Cedar Waxwing	• •	• •	•	••	••••	••••	••••	••••	••••		••	••	
Blue-winged Warbler ®					•								Not to be expected. Sometimes the hybrid offspring between this species and Golden-winged are found along the Barron Canyon Road.
Golden-winged Warbler					•••	••••	••••	••••	••				Barron Canyon Road is a dependable location for this warbler.
Tennessee Warbler					••••	••••	••••	••••	••••				
Orange-crowned Warbler				•	••••			••	• • •	••			Sometimes found along the shore of Ottawa River in shrubbery in September.
Nashville Warbler				•	••••	••••	••••	••••	••••	•			
Northern Parula					•••	••••	••••	••••	••••	•	•		
Yellow Warbler					••••	••••	••••	••••	••••				
Chestnut-sided Warbler					••••	••••	••••	••••	••••	•			
Magnolia Warbler					••••	••••	••••	••••	••••	•			
Cape May Warbler					••••	••••	••••	••••	••••	•			
Black-throated Blue Warbler					••••	••••	••••	••••	••••	•			
Yellow-rumped Warbler				••	••••	••••	••••	••••	••••	••••	••	•• •	
Black-throated Green Warbler				•	••••	••••	••••	••••	••••	•			
Blackburnian Warbler					••••	••••	••••	••••	••••	••			
Yellow-throated Warbler ®										•	•		
Pine Warbler				••	••••	••••	••••	••••	••••	•			
Kirtland's Warbler ®						••	••						Nests in Jack Pine shrubbery on Base Petawawa.
Prairie Warbler					•••	•							Best location for this species is on the cliff habitat of the Deacon Escarpment where Red Cedar grows.
Palm Warbler				•	••••			•	••••	••••			
Bay-breasted Warbler					••••	••	•••	•••	••••				
Blackpoll Warbler					•••			•••	•••				
Cerulean Warbler ®						••••							Rare in old hardwood forests south of the Opeongo Road west of Dacre.
Black-and-white Warbler				• •	••••	••••	••••	••••	••••				
American Redstart					••••	••••	••••	••••	•••				

Birds of Renfrew County (•= week of occurrence; ®=rare; <••> represents 1 bird present over time)

Species List	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
Lapland Longspur	•• •	•		••	•••					••••	••••	•••	Best found in cut corn fields in the Barr Line area, which is east of Douglas and west of Cobden.
Snow Bunting	••••	••••	••••	••••	•					••••	••••	••••	
Northern Cardinal	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Rose-breasted Grosbeak					••••	••••	••••	••••	••••				
Indigo Bunting					•••	••••	••••	••••	••••	••			
Dickcissel ®										•			Not to be expected.
Bobolink					••••	••••	••••	••••	•				
Red-winged Blackbird	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Eastern Meadowlark			••	••••	••••	••••	••••	••••	••••	••••	••••	•••	
Western Meadowlark						••••							Not to be expected.
Yellow-headed Blackbird				•	•								
Rusty Blackbird			•	••••	••••				••••	••••	•	•	Becoming rare as a migrant. Westmeath PP usually has a few in mid to early May.
Brewer's Blackbird ®									•	•			Not to be expected.
Common Grackle	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Brown-headed Cowbird			••	••••	••••	••••	••••	••••	••••	••••	••	•••	
Baltimore Oriole					••••	••••	••••	••••	•				
Pine Grosbeak	••••	••••	••••	•••						••	••••	••••	
Purple Finch	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
House Finch	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Red Crossbill	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Erratic wanderer and nesting species in large cone conifers like Red Pine.
White-winged Crossbill	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	Erratic wanderer and nesting species in small cone conifers such as White Spruce.
Common Redpoll	••••	••••	••••	••••	••				•	••••	••••	••••	
Hoary Redpoll	••••	••••	••••	••••						•	•	••••	Occasionally found at winter feeders in flocks of Common Redpoll.
Pine Siskin	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
American Goldfinch	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Evening Grosbeak	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
House Sparrow	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	
Totals:	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
309	96	82	111	177	251	197	189	200	224	202	143	127	